Author index of volume 334

Akimoto Y, 145
Allgaier C, 218
Amann R, 71
Arbilla S, 149
Atkinson J, 37
Azzaro AJ, 253

Ban T, 29
Barontini M, 188
Bassenge E, 100
Benkirane S, 149
Bevan J, 341
Beyer T, 488
Bilezikian JP, 275
Bill SJ, 418
Biziere K, 246
Blier P, 253
Böck M, 56
Böhnisch H, 223
Bönisch H, 403, 412
Bond RA, 261
Boniface A, 418
Borchard U, 294
Bose R, 480
Braun W, 110
Bridges RJ, 525, 531
Brown L, 196
Brune K, 267
Büch HP, 531
Burgwitz K, 501

Campbell G, 210
Candy JM, 10
Carlsson A, 234
Carmody J, 193
Charlton KG, 261
Chollet-Debord F, 105
Clarke DE, 261
Consolo S, 86
Cooper M, 333
Coper H, 133
Costa LG, 536
Costa T, 444
Court JA, 10
Cragoe EJjr, 202

Dandona P, 463
Diener M, 531
Donoso AO, 188
Duchene-Marullaz P, 105
Dunwiddie TV, 77

Ebner F, 475
Endean R, 313
Engberg G, 383
Erdmann E, 196
Erlhof I, 181

Fisone G, 86
Förstermann U, 501
Forloni GL, 86
Fouda AK, 37
Fowler CJ, 10
Freissmuth M, 56
Frölich JC, 501
Fuchs V, 133
Fujioka M, 468
Fujiwara M, 145, 436

Gachon P, 105
Gansohr N, 488
Garay RP, 202
Giuliani S, 172
Gjörstrup P, 488
Glossmann H, 303
Göthert M, 156
Goll A, 303
Graefe KH, 223, 397
Grohmann M, 393

Habermann E, 1
Hafner D, 294
Haikala H, 373
Halank M, 365
Handa H, 436
Hannaert PA, 202
Harder R, 403
Haroun F, 418
Hashimoto K, 138
Hatano N, 282
Hausleithner V, 56
Head RJ, 17
Hedner J, 290
Hedner T, 290
Heptinstall S, 341
Hertting G, 218
Herz A, 444
Hoban PR, 10
Hölting T, 166
Holmgren M, 290
Holt SE, 333
Holzer P, 181
Holzheimer G, 514

Illes P, 48
Inoue R, 508

Jamieson D, 193
Janssens WJ, 327
Jeremy JY, 463
Johannsson AM, 234

Kadokawa T, 282
Kamata K, 458
Kameyama T, 458
Kan JP, 246
Karasawa T, 282
Karbach U, 525
Kaylor G, 536
Keller HH, 346
Kilbinger H, 181, 357, 365
Kitamura K, 508
Kojima M, 29
Kollecker P, 156
Krumpl G, 540
Kupfer LE, 275
Kurahashi K, 145
Kuriyama H, 468
Kuschinsky K, 452

Ladinsky H, 86
Langer SZ, 149
Lattimer N, 418
Laux M, 1
Lembeck F, 71
Lewis RJ, 313
Limberger N, 166
Lindmar R, 228
Lobur A, 377
Löffelholz K, 228
Loiacono RE, 40
Lorez HP, 346
Lovenberg W, 377
Ludwig J, 393
Lukas A, 480

Maggi CA, 172
Magnusson T, 234
Malta E, 63
Mannhold R, 303
Manzini S, 172
Masuda Y, 282
Maura G, 323
McAdams RP, 418, 430
Meli A, 172
Mellstrand T, 290
Mikhailidis DP, 463
Miller RC, 63
Miwa S, 436
Möller HG, 452
Moins N, 105
Montigny Cde, 253
Murphy SD, 536

Näbauer M, 196
Nagao T, 468
Nakao K, 508
Nazaret C, 202
Nees S, 56
Nordberg G, 290

Ochi Y, 282
Olsson RA, 77
Osborn P, 210
Ott S, 444
Otten U, 346

Pileblad E, 383
Poortere Rde, 193

Raberger G, 540
Raiteri M, 323
Ramme D, 48
Rasbach J, 365
Ravens U, 488
Reid JJ, 17
Reymann A, 110
Rhodes KF, 418
Robinson RB, 275
Roccatagliata E, 323
Rojsathaporn K, 496
Rommelspacher H, 133
Rummel W, 525

Salama AI, 125
Saller CF, 125
Sandmann J, 228
Santicioli P, 172
Savola JM, 423
Schini V, 63
Schmidt CJ, 377
Schneider E, 267
Schneider W, 540
Schömig E, 412
Schütz W, 56
Seibel K, 92
Sharp T, 117
Shimizu M, 282
Shimohama S, 436
Siegl H, 475
Smith CJ, 10
Sono K, 145
Späth L, 48, 166
Starke K, 48, 166
Stauß P, 181
Stitzel RE, 17
Story DF, 40
Strauß S, 133
Strein K, 100
Strobach H, 496
Svensson K, 234

Taniguchi T, 436
Trendelenburg U, 388, 393
Tsujimoto G, 138
Tsukahara T, 436

Ungell AI, 223
Ungerstedt U, 117
Usui H, 436

Van Nueten JM, 327

Walland A, 352
Waterfall JF, 430
Wermuth CG, 246
Weskamp G, 346
Wessler I, 357, 365
Winne D, 514
Wirth KE, 496
Woermann C, 110
Worms P, 246
Worth TS, 77
Wyllie JH, 333

Yamanaka K, 508

Zeitner CJ, 397
Zetterström T, 117

Author index of volume 334

Akimoto Y, 145
Allgaier C, 218
Amann R, 71
Arbilla S, 149
Atkinson J, 37
Azzaro AJ, 253

Ban T, 29
Barontini M, 188
Bassenge E, 100
Benkirane S, 149
Bevan J, 341
Beyer T, 488
Bilezikian JP, 275
Bill SJ, 418
Biziere K, 246
Blier P, 253
Böck M, 56
Böhnisch H, 223
Bönisch H, 403, 412
Bond RA, 261
Boniface A, 418
Borchard U, 294
Bose R, 480
Braun W, 110
Bridges RJ, 525, 531
Brown L, 196
Brune K, 267
Büch HP, 531
Burgwitz K, 501

Campbell G, 210
Candy JM, 10
Carlsson A, 234
Carmody J, 193
Charlton KG, 261
Chollet-Debord F, 105
Clarke DE, 261
Consolo S, 86
Cooper M, 333
Coper H, 133
Costa LG, 536
Costa T, 444
Court JA, 10
Cragoe EJjr, 202

Dandona P, 463
Diener M, 531
Donoso AO, 188
Duchene-Marullaz P, 105
Dunwiddie TV, 77

Ebner F, 475
Endean R, 313
Engberg G, 383
Erdmann E, 196
Erlhof I, 181

Fisone G, 86
Förstermann U, 501
Forloni GL, 86
Fouda AK, 37
Fowler CJ, 10
Freissmuth M, 56
Frölich JC, 501
Fuchs V, 133
Fujioka M, 468
Fujiwara M, 145, 436

Gachon P, 105
Gansohr N, 488
Garay RP, 202
Giuliani S, 172
Gjörstrup P, 488
Glossmann H, 303
Göthert M, 156
Goll A, 303
Graefe KH, 223, 397
Grohmann M, 393

Habermann E, 1
Hafner D, 294
Haikala H, 373
Halank M, 365
Handa H, 436
Hannaert PA, 202
Harder R, 403
Haroun F, 418
Hashimoto K, 138
Hatano N, 282
Hausleithner V, 56
Head RJ, 17
Hedner J, 290
Hedner T, 290
Heptinstall S, 341
Hertting G, 218
Herz A, 444
Hoban PR, 10
Hölting T, 166
Holmgren M, 290
Holt SE, 333
Holzer P, 181
Holzheimer G, 514

Illes P, 48
Inoue R, 508

Jamieson D, 193
Janssens WJ, 327
Jeremy JY, 463
Johannsson AM, 234

Kadokawa T, 282
Kamata K, 458
Kameyama T, 458
Kan JP, 246
Karasawa T, 282
Karbach U, 525
Kaylor G, 536
Keller HH, 346
Kilbinger H, 181, 357, 365
Kitamura K, 508
Kojima M, 29
Kollecker P, 156
Krumpl G, 540
Kupfer LE, 275
Kurahashi K, 145
Kuriyama H, 468
Kuschinsky K, 452

Ladinsky H, 86
Langer SZ, 149
Lattimer N, 418
Laux M, 1
Lembeck F, 71
Lewis RJ, 313
Limberger N, 166
Lindmar R, 228
Lobur A, 377
Löffelholz K, 228
Loiacono RE, 40
Lorez HP, 346
Lovenberg W, 377
Ludwig J, 393
Lukas A, 480

Maggi CA, 172
Magnusson T, 234
Malta E, 63
Mannhold R, 303
Manzini S, 172
Masuda Y, 282
Maura G, 323
McAdams RP, 418, 430
Meli A, 172
Mellstrand T, 290
Mikhailidis DP, 463
Miller RC, 63
Miwa S, 436
Möller HG, 452
Moins N, 105
Montigny Cde, 253
Murphy SD, 536

Näbauer M, 196
Nagao T, 468
Nakao K, 508
Nazaret C, 202
Nees S, 56
Nordberg G, 290

Ochi Y, 282
Olsson RA, 77
Osborn P, 210
Ott S, 444
Otten U, 346

Pileblad E, 383
Poortere Rde, 193

Raberger G, 540
Raiteri M, 323
Ramme D, 48
Rasbach J, 365
Ravens U, 488
Reid JJ, 17
Reymann A, 110
Rhodes KF, 418
Robinson RB, 275
Roccatagliata E, 323
Rojsathaporn K, 496
Rommelspacher H, 133
Rummel W, 525

Salama AI, 125
Saller CF, 125
Sandmann J, 228
Santicioli P, 172
Savola JM, 423
Schini V, 63
Schmidt CJ, 377
Schneider E, 267
Schneider W, 540
Schömig E, 412
Schütz W, 56
Seibel K, 92
Sharp T, 117
Shimizu M, 282
Shimohama S, 436
Siegl H, 475
Smith CJ, 10
Sono K, 145
Späth L, 48, 166
Starke K, 48, 166
Stauß P, 181
Stitzel RE, 17
Story DF, 40
Strauß S, 133
Strein K, 100
Strobach H, 496
Svensson K, 234

Taniguchi T, 436
Trendelenburg U, 388, 393
Tsujimoto G, 138
Tsukahara T, 436

Ungell AI, 223
Ungerstedt U, 117
Usui H, 436

Van Nueten JM, 327

Walland A, 352
Waterfall JF, 430
Wermuth CG, 246
Weskamp G, 346
Wessler I, 357, 365
Winne D, 514
Wirth KE, 496
Woermann C, 110
Worms P, 246
Worth TS, 77
Wyllie JH, 333

Yamanaka K, 508

Zeitner CJ, 397
Zetterström T, 117

Subject index of volume 334

absorption, aniline derivatives, glucose transport; duodenum, rats, 531
acetylcholine, alpha-adrenoceptors, B-HT 920, dopamine; striatal slices, rats, 377
acetylcholine, end-plate; phrenic nerve-hemidiaphragma, rats, 357
acetylcholine, phenylethylamines, alpha-adrenoceptors, atrium, hippocampus, rats, 149
action potential, catecholamines, tetraethylammonium; papillary muscle, guinea-pig, 29
adenosine analogs, cholinergic system, serotonergic system, purinergic receptors; striatum, hippocampus, rats, 86
adenosine analogs, synaptic transmission, adenosine receptors; hippocampus, rats, 77
adenosine analogues, antinociception, adenosine receptors; cutaneous thermal tests, rats, 290
adenosine receptors, adenosine analogs, synaptic transmission; hippocampus, rats, 77
adenosine receptors, adenosine analogues, antinociception; cutaneous thermal tests, rats, 290
adrenaline secretion, capsaicin, glucose receptors, insulin; blood glucose, rats, 71
adrenoceptor-agonists-antagonists, alpha-adrenoceptors, age influence; vas deferens, aorta, rats, 430
adrenoceptors, norepinephrine, UK-14, 304-18; ileum, guinea-pig, 261
adrenoceptors, triiodothyronine; neonatal myocardial cells, rats, 275
age influence, adrenoceptor-agonists-antagonists, alpha-adrenoceptors; vas deferens, aorta, rats, 430
age influence, serotonin, norepinephrine; kidney, hypertensive rats, 327
ageing, noradrenaline; rat tail artery, 37
AJ 76, UH 232, dopamine autoreceptor antagonists, 2-aminotetralins; locomotor activity, rats, 234
alinidine, UL-FS 49, propranolol, bradycardic agents; myocardial dysfunction, dog, 540
alpha 1-adrenoceptors, desipramine, sudomotor system, sweating; forepaws, cat, 352
alpha 1-alpha 2-adrenoceptor antagonism, Wy 27127, idazoxan; vas deferens, rats, 418
alpha 2-adrenoceptors, opioid receptors, mutual interaction; rabbit brain cortex, 166
alpha-adrenoceptor activity, arylalkylimidazoles; cardiovascular system, pithed rats, 423
alpha-adrenoceptors, acetylcholine, phenylethylamines, atrium, hippocampus, rats, 149
alpha-adrenoceptors, age influence, adrenoceptor-agonists-antagonists; vas deferens, aorta, rats, 430
alpha-adrenoceptors, B-HT 920, dopamine, acetylcholine; striatal slices, rats, 377
alpha-adrenoceptors, cholinergic-noradrenergic interaction, cholinergic transmission; atrium, guinea-pig, 40
alpha-adrenoceptors, denervation; cerebral arteries, dog, 436
amiflamine, monoamine oxidase, serotonin, 5-HT neurotransmission; brain, rats, 253
amino acid transport, intestinal transport, forskolin, cAMP; jejunum, rats, 110
aminopyridazine derivatives, dopamine, CM 30366; behaviour, rats, mice, 246
2-aminotetralins, AJ 76, UH 232, dopamine autoreceptor antagonists; locomotor activity, rats, 234
angiotensin receptors, beta 2-adrenoceptors; vena cava, rats, 156
aniline derivatives, glucose transport, absorption; duodenum, rats, 531
antiarrhythmic drugs, isoprenaline, calcium channel blocker; heart, rats, 145
antiarrhythmics, verapamil, bepridil, slow channel inhibitors; rats, 105
antinociception, adenosine receptors, adenosine analogues; cutaneous thermal tests, rats, 290
apamin, hyperpolarisation, potassium channel; ileum, guinea-pig, 508
apomorphine, dopamine metabolites, lisuride, morphine; behaviour, estimation, rats, 452
arylalkylimidazoles, alpha-adrenoceptor activity; cardiovascular system, pithed rats, 423

Bay k 8644, H 160-51, calcium agonists, dihydropyridine derivatives; papillary muscle, guinea-pig, 488
bepridil, slow channel inhibitors, antiarrhythmics, verapamil; rats, 105
beta 2-adrenoceptors, angiotensin receptors; vena cava, rats, 156
beta 2-adrenoceptors, beta-adrenoceptor subtypes; coronary endothelium, guinea-pig, rats, 56
beta-adrenoceptor subtypes, beta 2-adrenoceptors; coronary endothelium, guinea-pig, rats, 56
beta-adrenoceptors, cAMP, phospholipases, phospholipids, choline; heart, chicken, guinea-pig, 228
beta-adrenoceptors, hyperthyroidism, thyroid hormone; blood pressure, pithed rats, 138
B-HT 920, dopamine, acetylcholine, alpha-adrenoceptors; striatal slices, rats, 377
binding kinetics, diprenorphine, sodium, GTP, opioid receptors; neuroblastoma glioma cells, 444
bradycardic agents, alinidine, UL-FS 49, propranolol; myocardial dysfunction, dog, 540

calcitonin generelated peptide, neurotransmitter, capsaicin; duodenum, rats, 172
calcium agonists, dihydropyridine derivatives, Bay k 8644, H 160-51; papillary muscle, guinea-pig, 488
calcium channel blocker, antiarrhythmic drugs, isoprenaline; heart, rats, 145
calcium channel blockers, inotropic effect, radioligand binding; heart, cat, 303
calcium flux, endothelium; aorta, rats, 63
calcium transport, dexamethasone; colon, rats, 525
cAMP, amino acid transport, intestinal transport, forskolin; jejunum, rats, 110
cAMP, phospholipases, phospholipids, choline, beta-adrenoceptors; heart, chicken, guinea-pig, 228
capsaicin, calcitonin generelated peptide, neurotransmitter; duodenum, rats, 172
capsaicin, glucose receptors, insulin, adrenaline secretion; blood glucose, rats, 71
capsaicin, splanchnic nerve, substance P; ileum, toad, 210
carbachol, potassium, phosphoinositide hydrolysis; brain, rats, 10
catechol oestrogens, catecholamines, O-methylation; aorta, rabbit, 17
catecholamines, histamine; cardiovascular changes, rats, 188
catecholamines, O-methylation; catechol oestrogens; aorta, rabbit, 17
catecholamines, tetraethylammonium, action potential; papillary muscle, guinea-pig, 29
choline, beta-adrenoceptors, cAMP, phospholipases, phospholipids; heart, chicken, guinea-pig, 228
choline, noradrenaline carrier; vas deferens, rats, 223
choline, phosphoinositides, muscarine cholinoceptor; brain, rats, 536
cholinergic neurons, monoaminergic neurons, nerve growth factor, denervation; brain, rats, 346
cholinergic system, serotonergic system, purinergic receptors, adenosine analogs; striatum, hippocampus, rats, 86
cholinergic transmission, alpha-adrenoceptors, cholinergic-noradrenergic interaction; atrium, guinea-pig, 40
cholinergic-noradrenergic interaction, cholinergic transmission, alpha-adrenoceptors; atrium, guinea-pig, 40
ciguatoxin, sodium channel; heart, guinea-pig, 313
CM 30366, aminopyridazine derivatives, dopamine; behaviour, rats, mice, 246

CNS-function, prostaglandins; cerebral hypoxia, mice, 282
cocaine, noradrenaline carrier, sodium dependence, desipramine; vas deferens, rats, 397

denervation, alpha-adrenoceptors; cerebral arteries, dog, 436
denervation, cholinergic neurons, monoaminergic neurons, nerve growth factor; brain, rats, 346
depolarisation, sodium channel, phosphatidylinositol, inositolphosphates; brain, rats, 1
desipramine, cocaine, noradrenaline carrier, sodium dependence; vas deferens, rats, 397
desipramine, membrane solubilization, neuronal uptake; phaeochromocytoma cells, rats, 412
desipramine, noradrenaline carrier; phaeochromocytoma cells, rats, 403
desipramine, sudomotor system, sweating, alpha 1-adrenoceptors; forepaws, cat, 352
dexamethasone, calcium transport; colon, rats, 525
diazepam, haloperidol, stereotypies, neuroleptics; behaviour, rats, 133
dietary fiber, intraluminal pressure, diffusion coefficient, intestinal absorption; jejunum, rats, 514
diffusion coefficient, intestinal absorption, dietary fiber, intraluminal pressure; jejunum, rats, 514
dihydroouabain, tetrodotoxin, veratridine, staircase, sodium flux; papillary, muscle, guinea-pig, 92
dihydropyridine derivatives, Bay k 8644, H 160-51, calcium agonists; papillary muscle, guinea-pig, 488
diprenorphine, sodium, GTP, opioid receptors, binding kinetics; neuroblastoma glioma cells, 444
diuretics, ion transport system; human erythrocytes, 202
dopamine agonists-antagonists, dopamine receptors; intracerebral dialysis, rats, 117
dopamine autoreceptor antagonists, 2-aminotetralins, AJ 76, UH 232; locomotor activity, rats, 234
dopamine metabolism, 3-methoxytyramine, neuroleptics; striatum, rats, 125
dopamine metabolism, nicotine; striatum, mice, 373
dopamine metabolites, lisuride, morphine, apomorphine; behaviour, estimation, rats, 452
dopamine receptors, dopamine agonists-antagonists; intracerebral dialysis, rats, 117
dopamine uptake inhibitor, GBR 13098; rats, 383
dopamine, acetylcholine, alpha-adrenoceptors, B-HT 920; striatal slices, rats, 377
dopamine, CM 30366, aminopyridazine derivatives; behaviour, rats, mice, 246

eledoisin, tachykinin receptor subtypes, substance P; ileum, guinea-pig, 181
endothelium, calcium flux; aorta, rats, 63
endothelium-derived relaxing factor, thiol compounds, thimerosal; aorta, rabbit, 501
end-plate, acetylcholine; phrenic nerve-hemidiaphragma, rats, 357
ethylketocyclazocine, sympathetic neurones, kappa receptors, opiod receptors; jejunal arteries, rabbit, 48

feed-back mechanism, receptor desensitization, nicotine autoreceptors; phrenic nerve, rats, 365
fentanyl, neuroleptanalgesia, opioid activity; anesthesia, rats, 267
forskolin, cAMP, amino acid transport, intestinal transport; jejunum, rats, 110

GABA system, muscimol, methamphetamine T; substantia nigra, rats, 458
GBR 13098, dopamine uptake inhibitor; rats, 383
glucose receptors, insulin, adrenaline secretion, capsaicin; blood glucose, rats, 71
glucose transport, absorption, aniline derivatives; duodenum, rats, 531
GTP, opioid receptors, binding kinetics, diprenorphine, sodium; neuroblastoma glioma cells, 444

H 160-51, calcium agonists, dihydropyridine derivatives, Bay k 8644; papillary muscle, guinea-pig, 488
haloperidol, stereotypies, neuroleptics, diazepam; behaviour, rats, 133
hemodynamics, nitrates, isosorbide dinitrate; coronary vessels, dog, 100
histamine receptor subtypes; mammalian heart preparations, 294
histamine, catecholamines; cardiovascular changes, rats, 188
5-HT neurotransmission, amiflamine, monoamine oxidase, serotonin; brain, rats, 253
5-HT receptor subtypes; urinary bladder, mice, 333
5-HT receptor subtypes, serotonin autoreceptors; hippocampus, synaptosomes, rats, 323
5-hydroxytryptamine, platelet aggregation; human whole blood, 341
hyperalgesia, stress analgesia, pentobarbitone, opioids, nociception; writhing test, mice, 193
hyperpolarisation, potassium channel, apamin; ileum, guinea-pig, 508
intestinal absorption, dietary fiber, intraluminal pressure, diffusion coefficient; jejunum, rats, 514
hyperthyroidism, thyroid hormone, beta-adrenoceptors; blood pressure, pithed rats, 138

idazoxan, alpha 1-alpha 2-adrenoceptor antagonism, Wy 27127; vas deferens, rats, 418
inositolphosphates, depolarisation, sodium channel, phosphatidylinositol; brain, rats, 1

inotropic effect, milrinone, phosphodiesterase; myocardium, man, guinea-pig, 196
inotropic effect, radioligand binding, calcium channel blockers; heart, cat, 303
inotropic efficacy, stimulation frequency, sodium pump, ouabain; myocardium, guinea-pig, 475
insulin, adrenaline secretion, capsaicin, glucose receptors; blood glucose, rats, 71
intestinal transport, forskolin, cAMP, amino acid transport; jejunum, rats, 110
intraluminal pressure, diffusion coefficient, intestinal absorption, dietary fiber; jejunum, rats, 514
ion transport system, diuretics; human erythrocytes, 202
isoprenaline, calcium channel blocker, antiarrhythmic drugs; heart, rats, 145
isoprenaline, potassium, uptake 2; heart, rats, 393
isoprenaline, uptake modulation; salivary gland, rats, 388
isosorbide dinitrate, hemodynamics, nitrates; coronary vessels, dog, 100

kappa receptors, opiod receptors, ethylketocyclazocine, sympathetic neurones; jejunal arteries, rabbit, 48

lisuride, morphine, apomorphine, dopamine metabolites; behaviour, estimation, rats, 452

M2-subtype receptors, prostanoid synthesis, muscarine receptors; urinary bladder, rats, 463
membrane solubilization, neuronal uptake, desipramine; phaeochromocytoma cells, rats, 412
metabolism, strophanthus glycosides; radioimmunoassay, man, 496
methamphetamine T, GABA system, muscimol; substantia nigra, rats, 458
3-methoxytyramine, neuroleptics, dopamine metabolism; striatum, rats, 125
milrinone, phosphodiesterase, inotropic effect; myocardium, man, guinea-pig, 196
monoamine oxidase, serotonin, 5-HT neurotransmission, amiflamine; brain, rats, 253
monoaminergic neurons, nerve growth factor, denervation, cholinergic neurons; brain, rats, 346
morphine, apomorphine, dopamine metabolites, lisuride; behaviour, estimation, rats, 452
muscarine cholinoceptor, choline, phosphoinositides; brain, rats, 536
muscarine receptors, M2-subtype receptors, prostanoid synthesis; urinary bladder, rats, 463
muscimol, methamphetamine T, GABA system; substantia nigra, rats, 458
mutual interaction, alpha 2-adrenoceptors, opioid receptors; rabbit brain cortex, 166

nerve growth factor, denervation, cholinergic neurons, monoaminergic neurons; brain, rats, 346
neuroleptanalgesia, opioid activity, fentanyl; anesthesia, rats, 267
neuroleptics, diazepam, haloperidol, stereotypies; behaviour, rats, 133
neuroleptics, dopamine metabolism, 3-methoxytyramine; striatum, rats, 125
neuronal uptake, desipramine, membrane solubilization; phaeochromocytoma cells, rats, 412
neurotransmitter, capsaicin, calcitonin generelated peptide; duodenum, rats, 172
nicotine autoreceptors, feed-back mechanism, receptor desensitization; phrenic nerve, rats, 365
nicotine, dopamine metabolism; striatum, mice, 373
nitrates, isosorbide dinitrate, hemodynamics; coronary vessels, dog, 100
nociception, hyperalgesia, stress analgesia, pentobarbitone, opioids; writhing test, mice, 193
noradrenaline carrier, choline; vas deferens, rats, 223
noradrenaline carrier, desipramine; phaeochromocytoma cells, rats, 403
noradrenaline carrier, sodium dependence, desipramine, cocaine; vas deferens, rats, 397
noradrenaline, ageing; rat tail artery, 37
noradrenaline, protein kinase C, polymyxin B, phobol; hippocampus, rabbit, 218
norepinephrine, age influence, serotonin; kidney, hypertensive rats, 327
norepinephrine, UK-14, 304-18, adrenoceptors; ileum, guinea-pig, 261

O-methylation; catechol oestrogens, catecholamines; aorta, rabbit, 17
opiod receptors, ethylketocyclazocine, sympathetic neurones, kappa receptors; jejunal arteries, rabbit, 48
opioid activity, fentanyl, neuroleptanalgesia; anesthesia, rats, 267
opioid receptors, binding kinetics, diprenorphine, sodium, GTP; neuroblastoma glioma cells, 444
opioid receptors, mutual interaction, alpha 2-adrenoceptors; rabbit brain cortex, 166
opioids, nociception, hyperalgesia, stress analgesia, pentobarbitone; writhing test, mice, 193
ouabain, inotropic efficacy, stimulation frequency, sodium pump; myocardium, guinea-pig, 475

pentobarbitone, opioids, nociception, hyperalgesia, stress analgesia; writhing test, mice, 193
phenylethylamines, alpha-adrenoceptors, acetylcholine, atrium, hippocampus, rats, 149
phobol, noradrenaline, protein kinase C, polymyxin B; hippocampus, rabbit, 218
phosphatidylinositol, inositolphosphates, depolarisation, sodium channel; brain, rats, 1
phosphodiesterase, inotropic effect, milrinone; myocardium, man, guinea-pig, 196
phosphoinositide hydrolysis, carbachol, potassium; brain, rats, 10
phosphoinositides, muscarine cholinoceptor, choline; brain, rats, 536
phospholipases, phospholipids, choline, beta-adrenoceptors, cAMP; heart, chicken, guinea-pig, 228
phospholipids, choline, beta-adrenoceptors, cAMP, phospholipases; heart, chicken, guinea-pig, 228
platelet aggregation, 5-hydroxytryptamine; human whole blood, 341
polymyxin B, phobol, noradrenaline, protein kinase C; hippocampus, rabbit, 218
potassium channel, apamin, hyperpolarisation; ileum, guinea-pig, 508
potassium, phosphoinositide hydrolysis, carbachol; brain, rats, 10
potassium, uptake 2, isoprenaline; heart, rats, 393
propranolol, bradycardic agents, alinidine, UL-FS 49; myocardial dysfunction, dog, 540
prostaglandins, CNS-function; cerebral hypoxia, mice, 282
prostanoid synthesis, muscarine receptors, M2-subtype receptors; urinary bladder, rats, 463
protein kinase C, polymyxin B, phobol, noradrenaline; hippocampus, rabbit, 218
purinergic receptors, adenosine analogs, cholinergic system, serotonergic system; striatum, hippocampus, rats, 86

radioligand binding, calcium channel blockers, inotropic effect; heart, cat, 303
receptor desensitization, nicotine autoreceptors, feed-back mechanism; phrenic nerve, rats, 365

serotonergic system, purinergic receptors, adenosine analogs, cholinergic system; striatum, hippocampus, rats, 86
serotonin autoreceptors, 5-HT receptor subtypes; hippocampus, synaptosomes, rats, 323
serotonin, 5-HT neurotransmission, amiflamine, monoamine oxidase; brain, rats, 253
serotonin, norepinephrine, age influence; kidney, hypertensive rats, 327
slow channel inhibitors, antiarrhythmics, verapamil, bepridil; rats, 105
sodium channel, ciguatoxin; heart, guinea-pig, 313
sodium channel, phosphatidylinositol, inositolphosphates, depolarisation; brain, rats, 1
sodium dependence, desipramine, cocaine, noradrenaline carrier; vas deferens, rats, 397
sodium flux, dihydroouabain, tetrodotoxin, veratridine, staircase; papillary, muscle, guinea-pig, 92
sodium pump, ouabain, inotropic efficacy, stimulation frequency; myocardium, guinea-pig, 475
sodium, GTP, opioid receptors, binding kinetics, diprenorphine; neuroblastoma glioma cells, 444
sodium-calcium exchange, stimulation potentiation; atrium, rats, 480
splanchnic nerve, substance P, capsaicin; ileum, toad, 210
staircase, sodium flux, dihydroouabain, tetrodotoxin, veratridine; papillary, muscle, guinea-pig, 92
stereotypies, neuroleptics, diazepam, haloperidol; behaviour, rats, 133
stimulation frequency, sodium pump, ouabain, inotropic efficacy; myocardium, guinea-pig, 475
stimulation potentiation, sodium-calcium exchange; atrium, rats, 480
stress analgesia, pentobarbitone, opioids, nociception, hyperalgesia; writhing test, mice, 193
strophanthus glycosides, metabolism; radioimmunoassay, man, 496
substance P, capsaicin, splanchnic nerve; ileum, toad, 210
substance P, eledoisin, tachykinin receptor subtypes; ileum, guinea-pig, 181
sudomotor system, sweating, alpha 1-adrenoceptors, desipramine; forepaws, cat, 352
sweating, alpha 1-adrenoceptors, desipramine, sudomotor system; forepaws, cat, 352
sympathetic neurones, kappa receptors, opiod receptors, ethylketocyclazocine; jejunal arteries, rabbit, 48
synaptic transmission, adenosine receptors, adenosine analogs; hippocampus, rats, 77

tachykinin receptor subtypes, substance P, eledoisin; ileum, guinea-pig, 181
tetraethylammonium, action potential, catecholamines; papillary muscle, guinea-pig, 29
tetrodotoxin, veratridine, staircase, sodium flux, dihydroouabain; papillary, muscle, guinea-pig, 92
thimerosal, endothelium-derived relaxing factor, thiol compounds; aorta, rabbit, 501
thiol compounds, thimerosal, endothelium-derived relaxing factor; aorta, rabbit, 501
thromboxane A2-antagonists; basilar artery, guinea-pig, 468

thyroid hormone, beta-adrenoceptors, hyperthyroidism; blood pressure, pithed rats, 138
triiodothyronine, adrenoceptors; neonatal myocardial cells, rats, 275

UH 232, dopamine autoreceptor antagonists, 2-aminotetralins, AJ 76; locomotor activity, rats, 234

UK-14, 304-18, adrenoceptors, norepinephrine; ileum, guinea-pig, 261
UL-FS 49, propranolol, bradycardic agents, alinidine; myocardial dysfunction, dog, 540
uptake 2, isoprenaline, potassium; heart, rats, 393
uptake modulation, isoprenaline; salivary gland, rats, 388

verapamil, bepridil, slow channel inhibitors, antiarrhythmics; rats, 105
veratridine, staircase, sodium flux, dihydroouabain, tetrodotoxin; papillary, muscle, guinea-pig, 92

Wy 27127, idazoxan, alpha 1-alpha 2-adrenoceptor antagonism; vas deferens, rats, 418

Contents of volume 334

No. 1 issued on September 24, 1986

E. Habermann, M. Laux: Depolarization increases inositolphosphate production in a particulate preparation from rat brain 1

J. A. Court, C. J. Fowler, J. M. Candy, P. R. Hoban, C. J. Smith: Raising the ambient potassium ion concentration enhances carbachol stimulated phosphoinositide hydrolysis in rat brain hippocampal and cerebral cortical miniprisms 10

J. J. Reid, R. E. Stitzel, R. J. Head: Characterization of the O-methylation of catechol oestrogens by intact rabbit thoracic aorta and subcellular fractions thereof 17

M. Kojima, T. Ban: Effects of tetraethylammonium on the action potential duration as modified by catecholamine-releasing action in guinea-pig papillary muscles 29

A.-K. Fouda, J. Atkinson: Sensitivity to noradrenaline and electrical stimulation decreases with age in the rat tail artery 37

R. E. Loiacono, D. F. Story: Effect of α-adrenoceptor agonists and antagonists on cholinergic transmission in guinea-pig isolated atria 40

D. Ramme, P. Illes, L. Späth, K. Starke: Blockade of α_2-adrenoceptors permits the operation of otherwise silent opioid κ-receptors at the sympathetic axons of rabbit jejunal arteries 48

M. Freissmuth, V. Hausleithner, S. Nees, M. Böck, W. Schütz: Cardiac ventricular β_2-adrenoceptors in guinea-pigs and rats are localized on the coronary endothelium 56

E. Malta, V. Schini, R. C. Miller: Effect of endothelium on basal and α-adrenoceptor stimulated calcium fluxes in rat aorta 63

R. Amann, F. Lembeck: Capsaicin sensitive afferent neurons from peripheral glucose receptors mediate the insulin-induced increase in adrenaline secretion 71

T. V. Dunwiddie, T. S. Worth, R. A. Olsson: Adenosine analogs mediating depressant effects on synaptic transmission in rat hippocampus: Structure-activity relationships for the N^6 subregion 77

G. L. Forloni, G. Fisone, S. Console, H. Ladinsky: Qualitative differences in the effects of adenosine analogs on the cholinergic systems of rat striatum and hippocampus 86

K. Seibel: The slow phase of the staircase in guinea-pig papillary muscle, influence of agents acting on transmembrane sodium flux 92

E. Bassenge, K. Strein: Dose-dependent effects of isosorbide-5-mononitrate on the venous, arterial and coronary arterial system of conscious dogs 100

F. Chollet-Debord, N. Moins, P. Gachon, P. Duchene-Marullaz: Comparison of verapamil and bepridil, two slow channel inhibitors, in protection against calcium-induced arrhythmias 105

A. Reymann, W. Braun, C. Woermann: Proabsorptive properties of forskolin: Disposition of glycine, leucine and lysine in rat jejunum 110

No. 2 issued on October 9, 1986

T. Zetterström, T. Sharp, U. Ungerstedt: Effect of dopamine D-1 and D-2 receptor selective drugs on dopamine release and metabolism in rat striatum in vivo 117

C. F. Saller, A. I. Salama: 3-Methoxytyramine accumulation: Effects of typical neuroleptics and various atypical compounds 125

V. Fuchs, H. Coper, S. Strauß, H. Rommelspacher: Diazepam attenuates the antagonism of haloperidol against apomorphine-induced stereotypic behavior after subchronic but not acute treatment in rats 133

G. Tsujimoto, K. Hashimoto: A unique pressor response to isoprenaline in the pithed rat during triiodo-L-thyronine(T_3-induced hyperthyroidism 138

S. Benkirane, S. Arbilla, S. Z. Langer: Phenylethylamine-induced release of noradrenaline fails to stimulate α_1-adrenoceptors modulating [^{3}H]-acetylcholine release in rat atria, but activates α_2-adrenoceptors modulating [^{3}H]-serotonin release in the hippocampus 149

K. Sono, Y. Akimoto, K. Kurahashi, M. Fujiwara: Effects of antiarrhythmic drugs on the extraneuronal accumulation of isoprenaline in perfused rat hearts 145

M. Göthert, P. Kollecker: Subendothelial β_2-adrenoceptors in the rat vena cava: Facilitation of noradrenaline release via local stimulation of angiotensin II synthesis 156

N. Limberger, L. Späth, Th. Hölting, K. Starke: Mutual interaction between presynaptic α_2-adrenoceptors and opioid κ-receptors at the noradrenergic axons of rabbit brain cortex 166

C. A. Maggi, S. Manzini, S. Giuliani, P. Scanticioli, A. Meli: Extrinsic origin of the capsaicin-sensitive innervation of rat duodenum: possible involvement of calcitonin gene-related peptide (CGRP) in the capsaicin-induced activation of intramural non-adrenergic non-cholinergic neurons 172

H. Kilbinger, P. Stauß, I. Erlhof, P. Holzer: Antagonist discrimination between subtypes of tachykinin receptors in the guinea-pig ileum 181

A. O. Donoso, M. Barontini: Increase in plasma catecholamines by intraventricular injection of histamine in conscious rats **188**

J. Carmody, D. Jamieson, R. de Poortere: Opioid-independent hyperalgesia induced in mice by pentobarbitone at low dosage **193**

L. Brown, M. Näbauer, E. Erdmann: The positive inotropic response to milrinone in isolated human and guinea pig myocardium **196**

R. P. Garay, P. A. Hannaert, C. Nazaret, E. J. Cragoe: The significance of the relative effects of loop diuretics and anti-brain edema agents on the Na^+,K^+,Cl^- cotransport system and the $Cl^-/NaCO_3^-$ anion exchanger **202**

P. Osborne, G. Campbell: A pharmacological and immunohistochemical study of the splanchnic innervation of ileal longitudinal muscle in the toad *Bufo marinus* **210**

Short communication

C. Allgaier, G. Hertting: Polymyxin B, a selective inhibitor of protein kinase C, diminishes the release of noradrenaline and the enhancement of release caused by phorbol 12,13-dibutyrate **218**

No. 3 issued on November 31, 1986

A.-L. Ungell, H. Bönisch, K.-H. Graefe: Choline$^+$: A substrate of the neuronal noradrenaline carrier in the rat vas deferens **223**

R. Lindmar, K. Löffelholz, J. Sandmann: The release of choline from phospholipids mediated by β-adrenoceptor activation in isolated hearts **228**

K. Svensson, A. M. Johansson, T. Magnusson, A. Carlsson: (+)-AJ 76 and (+)-UH 232: Central stimulants acting as preferential dopamine autoreceptor antagonists **234**

P. Worms, J.-P. Kan, C. G. Wermuth, K. Biziere: Dopamine-like activities of an aminopyridazine derivative, CM 30366: A behavioural study **246**

P. Blier, C. de Montigny, A. J. Azzaro: Effect of repeated amiflamine administration on serotonergic and noradrenergic neurotransmission: Electrophysiological studies in the rat CNS **253**

R. A. Bond, K. G. Charlton, D. E. Clarke: Evidence for a receptor mediated action of norepinephrine distinct from alpha- and beta-adrenoceptors **261**

E. Schneider, K. Brune: Opioid activity and distribution of fentanyl metabolites **267**

L. E. Kupfer, J. P. Bilezikian, R. B. Robinson: Regulation of alpha and beta adrenergic receptors by triiodothyronine in cultured rat myocardial cells **275**

Y. Masuda, Yu. Ochi, Yo. Ochi, T. Karasawa, N. Hatano, T. Kadokawa, M. Shimizu: Protective effect of prostaglandins D_2, E_1 and I_2 against cerebral hypoxia/anoxia in mice **282**

M. Holmgren, J. Hedner, T. Mellstrand, G. Nordberg, Th. Hedner: Characterization of the antinociceptive effects of some adenosine analogues in the rat **290**

U. Borchard, D. Hafner: Electrophysiological characterization of histamine receptor subtypes in mammalian heart preparations **294**

A. Goll, H. Glossmann, R. Mannhold: Correlation between the negative inotropic potency and binding parameters of 1,4-dihydropyridine and phenylalkylamine calcium channel blockers in cat heart **303**

R. J. Lewis, R. Endean: Direct and indirect effects of ciguatoxin on guinea-pig atria and papillary muscles **313**

No. 4 issued on December 11, 1986

G. Maura, E. Roccatagliata, M. Raiteri: Serotonin autoreceptor in rat hippocampus: Pharmacological characterization as a subtype of the 5-HT_1 receptor **323**

W. J. Janssens, J. M. Van Nueten: The direct and amplifying effects of serotonin are increased with age in the isolated perfused kidney of Wistar and spontaneously hypertensive rats **327**

S. E. Holt, M. Cooper, J. H. Wyllie: On the nature of the receptor mediating the action of 5-hydroxytryptamine in potentiating responses of the mouse urinary bladder strip to electrical stimulation **333**

J. Bevan, S. Heptinstall: Effects of combinations of 5-hydroxytryptamine receptor antagonists on 5-HT-induced human platelet aggregation **341**

G. Weskamp, H. P. Lorenz, H. H. Keller, U. Otten: Cholinergic but not monoaminergic denervation increases nerve growth factor content in the adult rat hippocampus and cerebral cortex **346**

A. Walland: Spinal facilitation in cholinergic-sympathetic efferents by desipramine **352**

I. Wessler, H. Kilbinger: Release of [^{3}H]acetylcholine from a modified rat phrenic nerve-hemidiaphragm preparation **357**

I. Wessler, M. Halank, J. Rasbach, H. Kilbinger: Presynaptic nicotine receptors mediating a positive feed-back on transmitter release from the rat phrenic nerve **365**

H. Haikala: Different changes in striatal dopamine metabolism induced by nicotine in mice kept at different ambient temperatures. Evidence for partly separate metabolic routes of dopamine derived from separate compartmentations **373**

C. J. Schmidt, A. Lobur, W. Lovenberg: Inhibition of K^+-stimulated [^{3}H]dopamine and [^{14}C]acetylcholine release by the putative dopamine autoreceptor agonist, B-HT 920 **377**

E. Pileblad, G. Engberg: GBR 13098, a selective dopamine uptake inhibitor; behavioural, biochemical and electrophysiological studies **383**

U. Trendelenburg: Modulation of uptake$_2$ of ^{3}H-(±)-isoprenaline by isoprenaline-induced depolarization of rat salivary gland cells **388**

J. Ludwig, M. Grohmann, U. Trendelenburg: Inhibition by K^+ of uptake$_2$ of ^{3}H-(±)-isoprenaline in the perfused rat heart **393**

C.-J. Zeitner, K.-H. Graefe: Sodium-dependence of the potency of inhibitors of the neuronal noradrenaline carrier in the rat vas deferens **397**

H. Bönisch, R. Harder: Binding of ^{3}H-desipramine to the neuronal noradrenaline carrier of rat phaeochromocytoma cells (PC-12 cells) **403**

E. Schömig, H. Bönisch: Solubilization and characterization of the ^{3}H-desipramine binding site of rat phaeochromocytoma cells (PC12-cells) **412**

S. J. Bill, A. Boniface, F. Haroun, R. P. McAdams, N. Lattimer, K. F. Rhodes: Some pharmacological properties of Wy 27127 a more selective alpha$_2$-alpha$_1$-adrenoceptor antagonist than idazoxan in vitro **418**

J.-M. Savola: α-Adrenoceptor activity of arylalkylimidazoles is improved by α-methylation and impaired by α-hydroxylation **423**

R. P. McAdams, J. F. Waterfall: The effect of age on the sensitivity of pre- and postsynaptic alpha-adrenoceptors to agonists and antagonists in the rat **430**

T. Tsukahara, T. Taniguchi, H. Usui, S. Miwa, S. Shimohama, M. Fujiwara, H. Handa: Sympathetic denervation and alpha adrenoceptors in dog cerebral arteries **436**

S. Ott, T. Costa, A. Herz: Effects of sodium and GTP on the binding kinetics of [^{3}H]diprenorphine in NG 108-15 cell membranes **444**

H.-G. Möller, K. Kuschinsky: Interactions of morphine with apomorphine: behavioural and biochemical studies **452**

K. Kamata, T. Kameyama: Effect of chronic administration of methamphetamine on the responsiveness of substantia nigra zona reticulata neurons to GABA or a GABA agonist in rats **458**

J. Y. Jeremy, D. P. Mikhailidis, P. Dandona: Prostanoid synthesis by the rat urinary bladder: evidence for stimulation through muscarine receptor-linked calcium channels **463**

M. Fujioka, T. Nagao, H. Kuriyama: Actions of the novel thromboxane A$_2$ antagonists, ONO-1270 and ONO-3708, on smooth muscle cells of the guinea-pig basilar artery **468**

F. Ebner, H. Siegl: Frequent stimulation of the guinea-pig myocardium raises the inotropic efficacy of tissue-bound ouabain **475**

A. Lukas, R. Bose: Mechanisms of frequency-induced potentiation of contractions in isolated rat atria **480**

T. Beyer, N. Gansohr, P. Gjörstrup, U. Ravens: The effects of the cardiotonic dihydropyridine derivatives Bay k 8644 and H160/51 on post-rest adaptation of guinea-pig papillary muscles **488**

H. Strobach, K. E. Wirth, K. Rojsathaporn: Absorption, metabolism and elimination of strophanthus glycosides in man **496**

U. Förstermann, K. Burgwitz, J. C. Frölich: Thimerosal induces endothelium-dependent vascular smooth muscle relaxations by interacting with thiol groups. Relaxations are likely to be mediated by endothelium-derived relaxing factor (EDRF) **501**

K. Nakao, R. Inoue, K. Yamanaka, K. Kitamura: Actions of quinidine and apamin on after-hyperpolarization of the spike in circular smooth muscle cells of the guinea-pig ileum **508**

G. Holzheimer, D. Winne: Influence of dietary fiber and intraluminal pressure on absorption and pre-epithelial diffusion resistance (unstirred layer) in rat jejunum in situ **514**

U. Karbach, R. J. Bridges, W. Rummel: The role of the paracellular pathway in the net transport of calcium across the colonic mucosa **525**

M. Diener, R. J. Bridges, H. P. Büch: The effect of aniline derivatives on absorption of fluid, glucose and sodium in isolated duodenal segments from rats **531**

Short communications

L. G. Costa, G. Kaylor, S. D. Murphy: Interaction of choline with muscarine receptor-stimulated phosphoinositide metabolism in the rat brain **536**

G. Krumpl, W. Schneider, G. Raberger: Can exercise-induced regional contractile dysfunction be prevented by selective bradycardic agents? **540**

Erratum

M. Nishimura: Effect of sulfhydryl agents on neuromuscular transmission in the presence or absence of cadmium.
Naunyn-Schmiedeberg's Arch (1986) 333:450–453 **544**

Indexed in *Current Contents*